

# Product datasheet

Specifications



## APC Back-UPS Pro External Battery Pack

BR24BPG

### Overview

Lead time Usually in Stock

### Main

Main Input Voltage	120 V
Product or component type	Battery backup
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	User manual
Range of product	Back-UPS Pro

### Batteries & Runtime

Device mounting	Stand alone battery stack
Battery life	4...6 year(s)
Battery voltage	24 V
Battery capacity	18 Ah
Number of battery filled slots	2
Number of battery free slots	0
Number of battery replacement quantity	1
battery power in VAh	372 VAh

### Physical

Colour	Black
Height	30.1 cm
Width	11.2 cm
Depth	38.2 cm
Net weight	13.4 kg
USB compatible	No

### Conformance

Product certifications TÜV

### Environmental

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Relative humidity	0...95 %
Storage Relative Humidity	0...95 %
Ambient air temperature for storage	-15...45 °C
Ambient air temperature for operation	0...40 °C
Operating altitude	0...30000 ft
Storage altitude	0.0000000000...15240.0000000000 m

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	40.000 cm
Package 1 Width	24.000 cm
Package 1 Length	49.100 cm
Package 1 Weight	14.569 kg
Unit Type of Package 2	P06
Number of Units in Package 2	3
Package 2 Height	52.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	50.707 kg
SCC14	10731304268786

## Contractual warranty

Warranty	3 years repair or replace
----------	---------------------------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) **67**

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

SCIP Number **1068e1eb-6a97-4f67-a95e-95f440cdd7dd**

REACH Regulation [REACH Declaration](#)

## Use Again

### Repack and remanufacture

Circularity Profile [End of Life Information](#)

Removable battery **User replaceable**

Take-back **Yes**