Specifications



APC Easy Rack PDU, Basic, 0U, 3 Phase, 22kW, 230V, 32A, 30 x C13 and 12 x C19 outlets, IEC60309 3P+N+PE inlet

EPDU1232B

Overview

Lead time

Usually in Stock

Main

mann		
Colour	Black	
Product or component type	PDU	
PDU type	Basic	
Cord length	2.00 m	
Number of cables	1	
Provided equipment	Installation guide Toolless mounting kit Vertical mounting brackets	

Complementary

Input Voltage	400 V 3 phases	
Height	179.4 cm	
Width	6.2 cm	
Output Voltage	230 V	
Depth	4.44 cm	
Net weight	5.14 kg	
Mounting location	Side	
Mounting preference	No preference	
Input Plug Type	IEC 60309 32 A 3P + N + PE	
Mounting mode	Rack-mounted	
Rack units	0U	
Mounting position	Vertical	
Input current limits	32 A	
Load capacity	22000 VA	
Network frequency	50/60 Hz	
Outlet type and quantity	30 IEC 60320 C13 12 IEC 60320 C19	

Environment

Product certifications	CE TÜV EAC RCM
Ambient air temperature for operation	-545 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.00000000015240.000000000 m

Packing Units

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	195 cm
Package 1 Width	11 cm
Package 1 Length	16 cm
Package 1 Weight	6.2 kg

Contractual warranty

Warranty

1 year repair or replace

🜔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 128 Image: Environmental Disclosure Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant	
REACh Regulation	REACh Declaration	

Use Again

\circlearrowright Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins