Product datasheet

Specifications

APC



APC Easy Rack PDU, Metered, 0U, 1 Phase, 3.7kW, 230V, 16A, 18 x C13 and 3 x C19 outlets, IEC60309 2P+E inlet

EPDU1116M

Overview

Lead time

Usually in Stock

Main

mann	
Colour	Black
Product or component type	PDU
PDU type	Metered
Cord length	3.00 m
Number of cables	1
Provided equipment	Installation guide User manual Vertical mounting brackets

Complementary

Input Voltage	200 V
	208 V
	230 V
Height	90.2 cm
Width	6.2 cm
Output Voltage	230 V
Depth	4.44 cm
Net weight	2.5 kg
Mounting location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 16 A 2P + E
Mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Input current limits	16 A
Load capacity	3680 VA
Network frequency	50/60 Hz
Outlet type and quantity	18 IEC 60320 C13
	3 IEC 60320 C19

Environment

Product certifications	CE TÜV	
Ambient air temperature for operation	-545 °C	
Relative humidity	595 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	-2565 °C	
Storage Relative Humidity	595 %	
Storage altitude	0.00000000015240.000000000 m	

Packing Units

PCE
1
132 cm
16 cm
11 cm
2.994 kg

Contractual warranty

Warranty

1 year repair or replace

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

${\mathcal Q}$ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	18943	
Environmental Disclosure	Product Environmental Profile	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	780cb2d6-f852-4c3c-987f-e705629194ca

Use Again

igodoldoldoldoldoldoldoldoldoldoldoldoldol	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins