



APC Easy Rack PDU, Metered, 0U, 1 Phase, 7.4kW, 230V, 32A, 20 x C13 and 4 x C19 outlets, IEC60309 2P+E inlet

EPDU1132M

Overview

Lead time Usually in Stock

Main

Colour	Black	
Product or component type	PDU	
PDU type	Metered	
Cord length	3.00 m	
Number of cables	1	
Provided equipment	Installation guide Toolless mounting kit User manual Vertical mounting brackets	

Complementary

-		
Input Voltage	200 V	
	208 V	
	230 V	
Height	117.5 cm	
Width	6.2 cm	
Output Voltage	230 V	
Depth	4.44 cm	
Net weight	3.72 kg	
Mounting location	Side	
Mounting preference	No preference	
Input Plug Type	IEC 60309 32 A 2P + E	
Mounting mode	Rack-mounted	
Rack units	0U	
Mounting position	Vertical	
Permissible voltage	220240 V	
Max line current	32 A	
Input current limits	32 A	
Load capacity	7360 VA	
Network frequency	50/60 Hz	

Outlet type and quantity	20 IEC 60320 C13	
	4 IEC 60320 C19	

Environment

Product certifications	CE TÜV	
	EAC	
	RCM	
	NOW	
Ambient air temperature for operation	-545 °C	
Relative humidity	595 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	-2565 °C	
Storage Relative Humidity	595 %	
Storage altitude	0.000000000015240.000000000 m	

Packing Units

_	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	132 cm
Package 1 Width	11 cm
Package 1 Length	16 cm
Package 1 Weight	4.48 kg

Contractual warranty

Warranty 1 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	28890
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances		
Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
SCIP Number	780cb2d6-f852-4c3c-987f-e705629194ca	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins