



APC Easy Rack, 24U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1198H x 600W x 800D mm

ER6482

## Overview

Lead time Usually in Stock

### Main

Product or component type	Rack
Number of rack unit	24U
Provided equipment	Baying hardware
	Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

## **Physical**

Height	119.8 cm
Width	60 cm
Depth	80 cm
Net weight	68.4 kg
Colour	Black
Maximum mounting depth	64.14 cm
minimum mounting depth	19.05 cm
Rack width	19"
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail
Permanent permissible load	1199.8 kg static 599.6 kg

## **Conformance**

Standards	UL 2416	
	UL 60950-1	
	EIA-310E	

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	133 cm

Package 1 Width	65 cm	
Package 1 Length	85 cm	
Package 1 Weight	74 ka	

# **Contractual warranty**

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	225	

#### **Use Better**

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No