# **Product datasheet**

Specifications

APC



APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 600W x 1200D mm

ER6822

#### Overview

Lead time

Usually in Stock

#### Main

Product or component type	Rack 48U	
Number of rack unit		
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels	

#### **Physical**

Height	225.8 cm	
Width	60 cm	
Depth	120 cm	
Net weight	122 kg	
Colour	Black	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.14 cm	
minimum mounting depth	19.05 cm	
Rack width	19"	
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail	
Permanent permissible load	1199.8 kg static 599.6 kg dynamic	

#### Conformance

 Standards
 UL 2416

 UL 60950-1
 EIA-310E

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	239 cm	
Package 1 Width	125 cm	
Package 1 Length	130 cm	
Package 1 Weight	130 kg	
Pallet layers	1	

## **Contractual warranty**

Warranty

5 year repair or replace

## C Environmental Data

Take-back

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >				
How we assess product sustainability $\geq$				
${ \ensuremath{ \bigtriangledown \bigtriangledown}}$ Environmental footprint				
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	394			
Use Better				
Packaging made with recycled cardboard	No			
Packaging without single use plastic	No			
Use Again				
$^{igcoldown}$ Repack and remanufacture				
Circularity Profile	End of Life Information			

No