



APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 800W x 1200D mm

ER8222

Overview

Lead time Usually in Stock

Main

······	
Rack	
42U	
Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels	

Physical

Height	199.1 cm	
Width	80 cm	
Depth	120 cm	
Net weight	135 kg	
Colour	Black	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.14 cm	
minimum mounting depth	24.16 cm	
Rack width	19"	
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail	
Permanent permissible load	1199.8 kg static 599.6 kg dynamic	

Conformance

 Standards
 UL 2416

 EIA-310E
 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	212 cm

Package 1 Width	125 cm	
Package 1 Length	85 cm	
Package 1 Weight	144 kg	
Pallet layers	1	

Contractual warranty

Warranty

5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint			
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	437		

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No