Specifications

APC



APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 800W x 1100D mm

ER8812

#### Overview

Lead time

Usually in Stock

#### Main

Product or component type	Rack	
Number of rack unit	48U	
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels	

#### Physical

-	
Height	225.8 cm
Width	80 cm
Depth	110 cm
Net weight	154 kg
Colour	Black
Mounting mode	Not rack-mountable
Maximum mounting depth	93.98 cm
minimum mounting depth	24.16 cm
Rack width	19"
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail
Permanent permissible load	1199.8 kg static 599.6 kg dynamic

### Conformance

Standards	UL 2416
	UL 60950-1
	EIA-310E

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	239 mm
Package 1 Width	115 cm
Package 1 Length	85 cm
Package 1 Weight	154 kg
Pallet layers	1

## **Contractual warranty**

Warranty

5 year repair or replace

# C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >				
How we assess product sustainability $\geq$				
${\mathcal O}$ Environmental footprint				
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	467			
Use Better				
⊗ Materials and Substances				
Packaging made with recycled cardboard	No			
Packaging without single use plastic	No			
Use Again				
$^{\circlearrowright}$ Repack and remanufacture				
Circularity Profile	End of Life Information			

No

Take-back