



APC Easy Rack, 48U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 2258H x 800W x 1200D mm

ER8822

Overview

Lead time Usually in Stock

Main

Product or component type	Rack
Number of rack unit	48U
Provided equipment	Baying hardware
	Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

Physical

Height	225.8 cm
Width	80 cm
Depth	120 cm
Net weight	150 kg
Colour	Black
Mounting mode	Not rack-mountable
Maximum mounting depth	104.14 cm
minimum mounting depth	24.16 cm
Rack width	19"
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail
Permanent permissible load	1199.8 kg static 599.6 kg dynamic

Conformance

 Standards
 UL 2416

 UL 60950-1
 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	

Package 1 Height	239 cm	
Package 1 Width	125 cm	
Package 1 Length	85 cm	
Package 1 Weight	159 kg	
Pallet layers	1	

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	482	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No