

Product datasheet

Specifications



Power, Accessory, NetBotz, Universal 24VDC Output

AP9505I

Overview

Presentation	External power supply that provides additional power to SmartSlot Expansion Chassis and select NetBotz applications.
Lead time	Usually in Stock

Main

Product or component type	Power supply
Range of product	Netbotz
Number of cables	1
Product compatibility	Power outlet

Physical

Colour	Black
Height	7 cm
Width	9.5 cm
Depth	7 cm
Net weight	0.34 kg
Mounting mode	Not rack-mountable
Cable end 2	BS-1363 female power
Cable end 1	IEC 60320-C7 female power

Output

Number of port	1
----------------	---

Conformance

Standards	FCC part 15 class A ICES-003
Product certifications	AS/NZS 3548 (C-Tick) class A cUL listed CE EMC directive 2004/108/EC low voltage directive 2006/95/EC PSE UL listed VCCI class A VDE

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.6 cm
Package 1 Width	23.5 cm
Package 1 Length	14 cm
Package 1 Weight	0.499 kg

Contractual warranty

Warranty	2 years repair or replace
-----------------	---------------------------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) **456**

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back **No**

WEEE  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**