Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC



Cable, Extension Cable for use w/ UPS communications cable 15'/5m

AP9815

Overview

Lead time Usually in Stock

Main

Cable length	4.6 m	
Number of cables	1	
Product compatibility	LIPS	

Physical

Colour	Grey	
Net weight	0.45 kg	
Mounting location	Front	
Mounting mode	Not rack-mountable	
Cable end 2	SUB-D 9 male Serial Straight Through	
Cable end 1	SUB-D 9 female Serial Straight Through	

Environmental

Storage Relative Humidity	095 %	
Storage altitude	0.000000000015240.0000000000 m	
Ambient air temperature for operation	045 °C	
Relative humidity	095 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	-1545 °C	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	22.9 cm
Package 1 Width	5.1 cm
Package 1 Length	10.2 cm
Package 1 Weight	0.45 kg

Contractual warranty

Warranty

2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Materials and Substances		
Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant	
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2	
REACh Regulation	REACh Declaration	
Optimized Energy Efficiency	Energy efficient product	

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins