

Specifications



# RACK PDU, BASIC, VERTICAL, 220-240V, 32A, (20) C13, (6) C19

AP6009A

### Overview

Lead time

Usually in Stock

#### Main

Product or component type	PDU
PDU type	Basic
Cord length	3.05 m
Number of cables	1
Provided equipment	Installation guide Safety guide

### Complementary

Input Voltage	230 V	
Height	162.6 cm	
Width	5.6 cm	
Output Voltage	230 V	
Depth	4.3 cm	
Net weight	6.18 kg	
Mounting location	Side	
Mounting preference	No preference	
Input Plug Type	IEC 60309 32 A 2P + E	
Mounting mode	Not rack-mountable	
Rack units	0U	
Mounting position	Vertical	
Permissible voltage	200240 V	
Input current limits	32 A	
Load capacity	7400 VA	
Network frequency	50/60 Hz	
Outlet type and quantity	20 IEC 60320 C13 6 IEC 60320 C19	

## Environment

Product certifications	CE EAC IRAM VDE
Ambient air temperature for operation	050 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-1565 °C
Storage Relative Humidity	595 %
Storage altitude	0.00000000015240.000000000 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	187.5 cm
Package 1 Width	13.5 cm
Package 1 Length	22.6 cm
Package 1 Weight	8 kg

## **Contractual warranty**

Warranty

2 years repair or replace

## C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability  $\geq$ 

Q	Performental footprint				
	Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	156			
	Environmental Disclosure	Product Environmental Profile			

#### **Use Better**

Materials and Substances		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant	
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2	
REACh Regulation	REACh Declaration	
Halogen content performance	Product contains halogen above thresholds	
ℰ Energy efficiency		
Optimized Energy Efficiency	Energy efficient product	

#### Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes