Specifications



Power Cord Kit (6 ea), Locking, C13 to C14, 1.8m

AP8706S-WW

Overview

Presentation	This Series of Rack Power Distribution Units (PDU) comes with Locking IEC Receptacles. The output and input connections are C13 to C14. The cord length is 1.8m. Locking IEC system allows the use of optional locking IEC power cords for added power cord security and enhanced reliability. No tools are required to disengage the locking feature and remove the plug from the locking receptacle.
Lead time	Usually in Stock
Main	

Product or component type	Power cord
Input Connection Type	IEC 60320 C14
Cable length	1.8 m
Number of cables	6

Physical

-	
Colour	Black
Height	24 cm
Width	7.5 cm
Depth	5.5 cm
Net weight	1.35 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Max line current	10 A
Input current limits	10 A

Output

Max current draw	10 A
Number of power socket outlets	1 IEC 60320 C13
Power cable length	1.8 m

Conformance

Product certifications

CCC PSE VDE

Environmental

Ambient air temperature for operation	070 °C	
Relative humidity	2080 %	
Operating altitude	010000 ft	
Ambient air temperature for storage	-2575 °C	
Storage Relative Humidity	2080 %	
Storage altitude	0.00000000015240.000000000 m	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24 cm
Package 1 Width	5.5 cm
Package 1 Length	7.5 cm
Package 1 Weight	1.35 kg

Contractual warranty

Warranty

2 years repair or replace

🜔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 425 Environmental Disclosure Product Environmental Profile

Use Better

In the second secon		
Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2	

Use Again

${\mathbb O}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins