# Product datasheet

Specifications

**APC**

## APC 17" Rack LCD Console

AP5717

## Overview

| | |
|---|---|
| **Presentation** | 1U rack-mountable keyboard, mouse, and LCD console with US English keyboard layout. |
| **Lead time** | Usually in Stock |

## Main

| | |
|---|---|
| **Main Input Voltage** | 100 V<br>240 V |
| **Number of rack unit** | 1U |
| **Provided equipment** | C13-C14 power cord<br>Documentation CD<br>Firmware upgrade cable<br>Installation guide<br>NEMA 5-15 power cord<br>PS2 KVM cable<br>Single user rack mount kit<br>USB cable<br>USB KVM cable |

## Physical

| | |
|---|---|
| **Colour** | Black |
| **Height** | 4.4 cm |
| **Width** | 48.2 cm |
| **Depth** | 61.4 cm |
| **Net weight** | 15.9 kg |
| **Mounting location** | Front<br>Rear |
| **Mounting preference** | No preference |
| **Mounting mode** | Rack-mounted |
| **Maximum mounting depth** | 104.98 cm |
| **minimum mounting depth** | 68 cm |

## Input

| | |
|---|---|
| **Network frequency** | 50/60 Hz |

## Conformance

| Product certifications | C-Tick |
| --- | --- |
| | CE |
| | Industry Canada |
| | KCC |
| | NOM |
| | UL listed |
| | VDE |
| | TAA compliance |

| Standards | EN 55022 class A |
| --- | --- |
| | EN 55024 |
| | EN 60950 |
| | FCC part 15 class A |
| | IEC 60950 |

# Environmental

| Ambient air temperature for operation | 0…40 °C |
| --- | --- |

# Supported Hardware

| Display colour | 16 colours |
| --- | --- |
| Display size | 17 inch |
| Trackball type | PS/2 touchpad |
| | USB mouse |
| Display type | LCD display |
| Display power consumption | 19 W |
| Pixel size | 0.26 |

# Packing Units

| Unit Type of Package 1 | PCE |
| --- | --- |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 15.2 cm |
| Package 1 Width | 82.6 cm |
| Package 1 Length | 67.3 cm |
| Package 1 Weight | 19.46 kg |

# Contractual warranty

| Warranty | 2 years repair or replace |
| --- | --- |

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained 〉

How we assess product sustainability 〉

## Environmental footprint

| | |
|---|---|
| Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) | **59** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **No** |
| Packaging without single use plastic | **No** |
| EU RoHS Directive | **Compliant with Exemptions** |
| REACh Regulation | **REACh Declaration** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Circularity Profile | **End of Life Information** |
| Take-back | **Yes** |
| WEEE | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins** |