Specifications



APC 19" Rack LCD Console

AP5719

Overview

Presentation	1U rack-mountable keyboard, mouse, and LCD console with US English keyboard layout.	
Lead time	Usually in Stock	
Main		
Main Input Voltage	100 V 240 V	
Number of rack unit	1U	
Provided equipment	C13-C14 power cord Documentation CD Firmware upgrade cable Installation guide NEMA 5-15 power cord PS2 KVM cable Rack mounting hardware Single user rack mount kit USB cable USB KVM cable	

Physical

Colour	Black
Height	4.4 cm
Width	48.2 cm
Depth	66.5 cm
Net weight	17.4 kg
Mounting location	Front Rear
Mounting preference	No preference
Mounting mode	Rack-mounted
Maximum mounting depth	104.98 cm
minimum mounting depth	68 cm

Input

Network frequency

50/60 Hz

Conformance

Product certifications	C-Tick	
	CE	
	Industry Canada	
	KCC	
	NOM	
	UL listed	
	VCCI class A VDE	
	Standards	EN 55022 class A
EN 55024		
EN 60950		
FCC part 15 class A		
IEC 60950		

Environmental

Ambient air temperature for	040 °C
operation	

Supported Hardware

Display size	19 inch
Trackball type	PS/2 touchpad USB mouse
Display type	LCD display
Display power consumption	19 W
Pixel size	0.26

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.2 cm
Package 1 Width	82.6 cm
Package 1 Length	67.3 cm
Package 1 Weight	20.99 kg

Contractual warranty

Warranty

2 years repair or replace

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

⁷ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	64
Jse Better	
Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

$^{\circlearrowright}$ Repack and remanufacture

Circularity Profile	End of Life Information
Take-back	Yes
WEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins