Specifications



## APC NetShelter Rack PDU Advanced, Switched, 7.4kW, 1Phase, 230V, 32A, 332P6, 40 Outlet

APDU10150SW

Overview	
Lead time	Usually in Stock
Main	
Colour	Black
Product or component type	PDU
PDU type	Switched
Cord length	3.0 m
Complementary	
Input Voltage	230 V 1 phase
Height	149.0 cm
Width	5.6 cm
Output Voltage	230 V
Depth	7.5 cm
Net weight	7.4 kg
Mounting location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 2P + PE
Mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
Communication port protocol	1000BASE-T 10/100BASE-T
[In] rated current	32 A
Permissible voltage	200240 V
Input current limits	32 A
Load capacity	7400 VA
Network frequency	50/60 Hz
Outlet type and quantity	20 C13/C15/C19/C21 20C13/C15

### Environment

Product certifications	UKCA TAA compliance
Standards	CE EN 62368-1
Ambient air temperature for operation	-560 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.00000000015240.000000000 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	172 cm
Package 1 Width	11.6 cm
Package 1 Length	20.8 cm
Package 1 Weight	9.4 kg

### **Contractual warranty**

Warranty

3 years repair or replace

## C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability  $\geq$ 

${\mathcal Q}$ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	2974
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

⊗ Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	31346aed-552c-4a16-81d9-e683a383b6da

### Use Again

${\mathbb O}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins