Specifications

APC



APC NetShelter SX, Server Rack Enclosure, 48U, Black, 2258H x 750W x 1070D mm

AR3157

Overview

Lead time

Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	48U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

-	
Height	225.8 cm
Width	75 cm
Depth	107 cm
Net weight	169.09 kg
Colour	Black
Mounting preference	No preference
Mounting mode	Not rack-mountable
Maximum mounting depth	91.49 cm
minimum mounting depth	26.19 cm
Rack width	19"
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static

Conformance

Standards

UL 2416 UL 60950-1 EIA-310E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	238.4 cm
Package 1 Width	85.1 cm
Package 1 Length	115.6 cm
Package 1 Weight	184.09 kg

Contractual warranty

Warranty

5 year repair or replace

L Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 559 Image: Carbon footprint (kg.eq.co2 per CR, Total Life cycle) 5

No

scope)

REACh Declaration

Pro-active compliance (Product out of EU RoHS legal

EU RoHS Directive

Packaging without single use plastic

REACh Regulation

Use Again

${igvarrow}$ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	Yes	