Specifications

APC

# APC NetShelter SX, Server Rack Enclosure, 42U, Black, 1991H x 750W x 1200D mm

AR3350

## Overview

Lead time

Usually in Stock

#### Main

Product or component type	Rack enclosure
Number of rack unit	42U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

#### Physical

-		
Height	199.1 cm	
Width	75 cm	
Depth	120 cm	
Net weight	161.36 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.8 cm	
minimum mounting depth	26.19 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static	

## Conformance

Standards

UL 2416 UL 60950-1 EIA-310E

Life Is On Schneider

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	211.800 cm
Package 1 Width	85.100 cm
Package 1 Length	133.400 cm
Package 1 Weight	183.180 kg

#### **Contractual warranty**

Warranty

5 year repair or replace

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

${\ensuremath{\overline{\mathcal{Q}}}}$ Environmental footprint				
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	556			
Use Better				
ℬ Materials and Substances				
Packaging made with recycled cardboard	No			
Packaging without single use plastic	No			
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)			

#### **Use Again**

REACh Regulation

♡ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	Yes	

**REACh Declaration**