



# APC NetShelter SX, Server Rack Enclosure, 45U, Black, 2124H x 750W x 1200D mm

AR3355

### Overview

Lead time Usually in Stock

### Main

Product or component type	Rack enclosure
Number of rack unit	45U
Provided equipment	Baying hardware
	Key(s)
	Keyed-alike doors and side panels
	Leveling feet
	Mounting hardware
	Pre-installed casters
	Side panels

## **Physical**

,		
Height	212.4 cm	
Width	75 cm	
Depth	120 cm	
Net weight	169 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.8 cm	
minimum mounting depth	26.19 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static	

### Conformance

Standards UL 2416
UL 60950-1
EIA-310E

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	224 cm
Package 1 Width	133.4 cm
Package 1 Length	85 cm
Package 1 Weight	188.4 kg

## **Contractual warranty**

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	572	

### **Use Better**

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes