Specifications

APC



# APC NetShelter SX, Server Rack Enclosure, 48U, Black, 2258H x 750W x 1200D mm

AR3357

## Overview

Lead time

Usually in Stock

### Main

Product or component type	Rack enclosure
Number of rack unit	48U
Provided equipment	Baying hardware Key(s) Leveling feet Mounting hardware Pre-installed casters Side panels

### **Physical**

· · · <b>· · · · ·</b>		
Height	225.8 cm	
Width	75 cm	
Depth	120 cm	
Net weight	185.45 kg	
Colour	Black	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	104.8 cm	
minimum mounting depth	26.19 cm	
Rack width	19"	
Marking	14 gauge EIA mounting rail 16 gauge front door 16 gauge post 16 gauge rear door 18 gauge roof 18 gauge side panels	
Permanent permissible load	1020.6 kg dynamic 1701.0 kg static	

## Conformance

Standards

UL 2416 UL 60950-1 EIA-310E

### **Packing Units**

Unit Type of Package 1

PCE

1

Number of Units in Package 1	1
Package 1 Height	240 cm
Package 1 Width	85.1 cm
Package 1 Length	133.4 cm
Package 1 Weight	201.82 kg

# **Contractual warranty**

Warranty

5 year repair or replace

# C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability  $\geq$ 

Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	612
Jse Better	
Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

#### Use Again

♡ Repack and remanufacture		
Circularity Profile	End of Life Information	
Take-back	Yes	