Specifications



# APC Rack PDU 9000 Switched, ZeroU, 11.0kW, 230V, (21) C13 & (3) C19

APDU9981EU3

### Overview

Lead time

Usually in Stock

#### Main

in and		
Colour	Black	
Product or component type	PDU	
PDU type	Switched	
Cord length	1.8 m	
Number of cables	1	
Provided equipment	Installation guide Rack mounting brackets Safety guide	

### Complementary

Input Voltage	400 V 3 phases	
Height	179.2 cm	
Width	5.5 cm	
Output Voltage	230 V	
Depth	4.6 cm	
Net weight	7 kg	
Mounting location	Side	
Mounting preference	No preference	
Input Plug Type	IEC 60309 16 A 3P + N + PE	
Mounting mode	Not rack-mountable	
Rack units	0U	
USB compatible	No	
Mounting position	Vertical	
Communication port protocol	SNMP Redfish	
[In] rated current	16 A	
Max line current	16 A	
Input current limits	16 A	
Load capacity	11000 VA	
Network frequency	50/60 Hz	

Outlet type and quantity	21 IEC 60320 C13 3 IEC 60320 C19
Communication network type	10/100/1000BASE-T

## Environment

Product certifications	cUL listed FCC part 15 class A UL listed
	VDE
Standards	EN 55022 class A EN 55024 EN 61000-3-2 EN 61000-3-3 ICES-003
Ambient air temperature for operation	-560 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	0.00000000015240.000000000 m

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	200.2 cm
Package 1 Width	11.4 cm
Package 1 Length	16.5 cm
Package 1 Weight	8.95 kg

## **Contractual warranty**

Warranty

3 years repair or replace

# 🜔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

#### ${\mathcal O}$ Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 2814
Environmental Disclosure Product Environmental Profile

#### **Use Better**

Materials and Substances		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant with Exemptions	
SCIP Number	31346aed-552c-4a16-81d9-e683a383b6da	
REACh Regulation	REACh Declaration	

#### Use Again

${\mathbb O}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	Yes
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins