

Product datasheet

Specifications



APC NetShelter 13U Wallmount Rack Cabinet Vented Door Double Hinged Server Depth

AR100HD

Overview

Presentation	<p>Ideal for retail, healthcare, and educational facilities, the wall rack offers an efficient solution for deploying server and networking equipment for edge computing applications. For areas with limited floor space. Designed to house your server, as well as network solutions such as network switches and patch panels. Rack hinges at the rear allowing for access to the back of the rack during installation and setup or while undergoing maintenance. The door is reversible allowing for the door to open direction desired to avoid interference with its surroundings. Optional 120V fan tray top-mounted and caster kit. Several APC Smart-UPS models low-profile provide easy UPS integration and mounting. 13U Wall mount cabinet, 19 inches maximum mounting depth, 200lb weight capacity, 19" rack width, ships fully assembled, vented door, 5 year APC warranty.</p>
Lead time	Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	13U
Number of cables	1
Provided equipment	<p>Key(s)</p> <p>User manual</p> <p>Wall-mounting template</p>

Physical

Height	66.3 cm
Width	58.4 cm
Depth	63.1 cm
Net weight	42.73 kg
Colour	Black
Mounting preference	No preference
Mounting mode	Not rack-mountable
Maximum mounting depth	48.26 cm
Rack width	19"
Marking	<p>16 gauge EIA mounting rail</p> <p>16 gauge front door</p> <p>16 gauge post</p> <p>13 gauge rear door</p> <p>18 gauge roof</p> <p>18 gauge side panels</p>
Permanent permissible load	90.7 kg static

Conformance

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	EIA-310E
-----------	----------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	83.8 cm
Package 1 Width	68.6 cm
Package 1 Length	77.5 cm
Package 1 Weight	52.17 kg

Contractual warranty

Warranty	5 year repair or replace
----------	--------------------------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	158

Use Better	
Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
[EU RoHS Directive](#)	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	[REACH Declaration](#)
Use Again	
Repack and remanufacture	
Circularity Profile	[End of Life Information](#)
Take-back	Yes