

Specifications

APC



APC NetShelter 6U Wallmount Rack Enclosure Cabinet, Single Hinged, Switch Depth, Unassembled

AR106

Overview		
Presentation	Ideal for retail, healthcare, and educational facilities, the wall rack offers an efficient solution for deploying server and networking equipment for edge computing applications. For areas with limited floor space. Designed to house your server, as well as network solutions such as network switches and patch panels. Rack is packaged unassembled for smaller storage and delivery and takes up to 60% less space than assembled alternatives. The door is reversible allowing for the door to open direction desired to avoid interference with its surroundings. Optional 120V fan tray top/bottom mounted. Top/bottom feature knockouts 1/2U of mounting space for accessories. Several APC Smart-UPS models low-profile provide easy UPS integration and mounting. 6U Wall mount cabinet, 8.9 to 12.9 inches mounting depth, 200lb weight capacity, 19"" rack width, ships unassembled, 5 year APC warranty.	
Lead time	Usually in Stock	
Main		
Product or component type	Rack enclosure	
Number of rack unit	6U	
Physical		
Height	35.6 cm	
Width	59.9 cm	
Depth	40 cm	
Net weight	9.39 kg	
Colour	Black	
Mounting support	Wall	
Mounting preference	No preference	
Mounting mode	Not rack-mountable	
Maximum mounting depth	32.89 cm	
minimum mounting depth	22.61 cm	

Conformance

Permanent permissible load

Standards

Rack width

EIA-310E

19"

90.7 kg static

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	29.3 cm
Package 1 Width	48.5 cm
Package 1 Length	68.8 cm
Package 1 Weight	14.56 kg

Contractual warranty

Warranty

5 year repair or replace

C Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

Provision Provisio Provisi Provisio Provisio Provisio Provisio Provisio Provisio P				
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	44			
Use Better				
℅ Materials and Substances				
Packaging made with recycled cardboard	No			
Packaging without single use plastic	No			
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)			
REACh Regulation	REACh Declaration			

Use Again

\circlearrowright Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes