



APC NetShelter 6U Wallmount Rack Enclosure Cabinet Single Hinged Switch Depth

AR106SH4

Overview

Presentation

Ideal for retail, healthcare, and educational facilities, this wall mount rack offers an efficient solution for deploying server and networking equipment for edge computing applications. This rack enclosure is wall mountable, ideal for areas with limited floor space, and is designed specifically for servers and network switches, and patch panels. The cabinet's door is reversible and is compatible with APC's Netbotx security upgrade to provide remote access, video surveillance, and environmental monitoring (sold separately). Optional 120V fan tray can be top or bottom mounted (sold separately) Both the top and bottom feature knockouts of 1/2U mounting space for accessories. And several APC Smart-UPS models low-profile provide easy UPS integration and mounting Wall mount cabinet, mounting depth range of 2.87 to 12.95 inches, 200lb weight capacity, 19" rack width, ships fully assembled, ventilated with accessory integration options, 5 year APC warranty.

Lead time Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	6U

Physical

Height	35.5 cm
Width	60 cm
Depth	40 cm
Net weight	11.11 kg
Colour	Black
Mounting support	Wall
Mounting preference	No preference
Mounting mode	Not rack-mountable
Maximum mounting depth	32.89 cm
minimum mounting depth	7.29 cm
Rack width	19"
Permanent permissible load	90.7 kg static

Conformance

Standards UL 2416 EIA-310E

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1
Package 1 Height	43.5 cm
Package 1 Width	48.5 cm
Package 1 Length	68.5 cm
Package 1 Weight	13.56 kg

Contractual warranty

Warranty 5 year repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint			
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	41		

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
᠃ Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes