

Specifications





Roof Fan Tray 230V 60HZ for NetShelter WX Enclosures

AR8207BLK

Overview

Presentation	The Rack Fan Tray is a low cost solution that aids in heat removal from a Netshelter Enclosure. The system easily installs into the top of the enclosure and expels heat from the roof of the rack. Wall-mounted enclosures have the additional option of installing the rack fan tray systems in the base of the rack as well. The fan trays are designed to promote bottom to top airflow within the enclosure.	
Lead time	Usually in Stock	
Main		
Main Input Voltage	208 V 230 V	
Input Connection Type	IEC 60320 C14 Schuko CEE 7/7P BS1363A British	
Number of cables	3	
Provided equipment	Installation guide 1 x IEC to IEC 320 power cord	

Physical

•	
Colour	Black
Height	5.4 cm
Width	31.8 cm
Depth	17.5 cm
Net weight	1.82 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Network frequency

50/60 Hz

Conformance

Product certifications

CSA UL listed

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.8 cm

Package 1 Width	23.4 cm
Package 1 Length	32 cm
Package 1 Weight	2.73 kg

Contractual warranty

Warranty

2 years repair or replace

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration

Use Again

${\mathbb O}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes