



APC Netshelter Rack Automatic Transfer Switch, 1U, 16A, 230V, 2 IEC309 IN, 1 IEC309 OUT, 50/60Hz

AP4422A

#### Overview

Lead time Usually in Stock

### Main

Main Input Voltage	230 V AC 1 phase	
Product or component type	Automatic transfer switch	
Main Output Voltage	230 V AC 1 phase	
Input Connection Type	IEC 60309 16 A 2P + E	
Number of rack unit	1U	
Cable length	2.4 m	
Number of cables	2	
Provided equipment	Mounting hardware Rack mounting brackets	

### **Physical**

Colour	Black
Height	4.4 cm
Width	43.2 cm
Depth	23.6 cm
Net weight	4.21 kg
Mounting location	Front
Mounting preference	No preference
Mounting mode	Rack-mounted
Mounting position	Horizontal

### Input

Network frequency	50/60 Hz	
[In] rated current	16 A	
Permissible voltage	207253 V	
Max line current	16 A	
Input current limits	16 A	
Load capacity	3840 VA	

## **Output**

Number of power socket outlets	1 IEC 60309 16 A 2P + E	
Number of power socket outlets	1	
Protection type	Without circuit breaker	
Power cable length	0.91 m	

### Conformance

Product certifications	CE EMC directive 2004/108/EC LVD directive 2006/95/EC
Standards	EN/IEC 60950-1

### **Environmental**

Ambient air temperature for operation	-545 °C
Relative humidity	595 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	595 %
Storage altitude	015240 m

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.4 cm
Package 1 Width	34.9 cm
Package 1 Length	60 cm
Package 1 Weight	5.95 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	40
Package 2 Height	135 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	250.52 kg

## **Contractual warranty**

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	484
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

Materials and Substances		
Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	No	

#### Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	Yes
Take-back	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins