Specifications



APC Smart-UPS RT Isolation Transformer, 3000VA, 230V In/Out, 1x IEC Jumpers & 1x IEC 60320 C19 outlets

SURT001

Overview		
Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.	
Lead time	Usually in Stock	
Main		
Main Input Voltage	230 V	
Product or component type	Transformer	
Main Output Voltage	230 V	
Other Output Voltage	220 V	
Input Connection Type	IEC 60320 C20	
Number of rack unit	3U	
Number of cables	1	
Provided equipment	Installation guide Mounting hardware User manual	
Range of product	Smart-UPS Accessories	

Physical

Colour	Black
Height	13 cm
Width	43.2 cm
Depth	66 cm
Net weight	56.82 kg
Mounting location	Front
Mounting preference	Lower
Mounting mode	Rack-mounted with kit
USB compatible	No

Input

Input current limits	16 A
Load capacity	3000 VA
Network frequency	50/60 Hz

Output

Number of power socket outlets	1 IEC Jumpers	
	1 IEC 60320 C19	

Conformance

Product certifications	C-Tick CE
Standards	EN 50091-1 EN 55022 class B EN 55024 EN 60950 EN 61000-3-2

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-2565 °C
Storage Relative Humidity	095 %
Storage altitude	0.00000000015240.000000000 m

Packing Units

-	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	34.7 cm
Package 1 Width	98 cm
Package 1 Length	60.3 cm
Package 1 Weight	63.64 kg
SCC14	10731304217784

Contractual warranty

Warranty

2 years repair or replace

Lenvironmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental Disclosure

Product Environmental Profile

Use Better

ℬ Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	78ae8215-2bd3-41fb-b73f-2d8ff94b9860
REACh Regulation	REACh Declaration
W Energy efficiency	
Optimized Energy Efficiency	Energy efficient product

Use Again

${igvarrow}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins