



APC Smart-UPS X 120V Short Depth External Battery Pack Tower/Rack Convertible

SMX120BP

Overview

Lead time Usually Ships within 2 Weeks

Main

| Product or component type | Battery |
|---------------------------|--|
| Number of rack unit | 4U |
| Battery type | Lead-acid battery |
| Provided equipment | Installation guide Rack mounting brackets |
| Range of product | Smart-UPS Battery Systems |

Batteries & Runtime

| Number of battery blocks per string | 10 | |
|--|----------------------------|--|
| Device mounting | Enclosed battery cartridge | |
| Number of battery filled slots | 0 | |
| Number of battery free slots | 0 | |
| Number of battery replacement quantity | 2 | |
| Battery voltage | 120 V | |
| Replacement battery | APCPRC143 [7] | |

Physical

| Colour | Black | |
|---------------|--------------|--|
| Height | 43.2 cm | |
| Width | 17.8 cm | |
| Depth | 48.3 cm | |
| Net weight | 60.91 kg | |
| Mounting mode | Rack-mounted | |

Environmental

| Ambient air temperature for operation | 040 °C |
|---------------------------------------|-----------|
| Relative humidity | 095 % |
| Operating altitude | 010000 ft |
| Ambient air temperature for | -1545 °C |

| Storage Relative Humidity | 095 % |
|---------------------------|-------------------------------|
| Storage altitude | 0.000000000 15240.000000000 m |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 33 cm |
| Package 1 Width | 58.6 cm |
| Package 1 Length | 63.3 cm |
| Package 1 Weight | 65.45 kg |

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ☑ Environmental footprint | |
|---|-------------------------------|
| Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) | 300 |
| Environmental Disclosure | Product Environmental Profile |

Use Better

| Packaging made with recycled cardboard | Yes |
|--|--|
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| SCIP Number | 5ac12844-46eb-471b-94f1-318e06a714a6 |
| REACh Regulation | REACh Declaration |

Use Again

| ○ Repack and remanufacture | |
|----------------------------|-------------------------|
| Circularity Profile | End of Life Information |
| Removable battery | User replaceable |
| Take-back | Yes |