

Specifications



# Smart-UPS X 120V external battery pack rackmount / tower

APC

## Overview

Lead time

Usually Ships within 2 Weeks

### Main

Product or component type	Battery	
Number of rack unit	2U	
Battery type	Lead-acid battery	
Provided equipment	Installation guide Rack mounting brackets	
Range of product	Smart-UPS Battery Systems	

SMX120RMBP2U

## **Batteries & Runtime**

Number of battery blocks per string	10
Device mounting	Enclosed battery cartridge
Number of battery filled slots	0
Number of battery free slots	0
Number of battery replacement quantity	2
Battery voltage	120 V

## Physical

Colour	Black
Height	8.5 cm
Width	43.2 cm
Depth	66.7 cm
Net weight	56.36 kg
Mounting mode	Rack-mounted
USB compatible	No

## Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-1545 °C

Storage Relative Humidity	095 %	
Storage altitude	0.00000000015240.000000000 m	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24.500 cm
Package 1 Width	60.000 cm
Package 1 Length	86.000 cm
Package 1 Weight	64.000 kg
Unit Type of Package 2	P12
Number of Units in Package 2	2
Package 2 Height	90.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	140.000 kg

# **Contractual warranty**

Warranty

2 years repair or replace

# 🜔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

# Environmental footprint Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 291

Environmental Disclosure

Product Environmental Profile

#### **Use Better**

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	5ac12844-46eb-471b-94f1-318e06a714a6
REACh Regulation	REACh Declaration

#### Use Again

$^{igcelow}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	Yes