

Specifications



APC Smart-UPS Ultra Lithium-Ion Battery Pack 1U

SRTL50RMBP1U-LI

Overview

Lead time

Usually in Stock

50 V

Main

Product or component type	Battery	
Number of rack unit	1U	
Battery type	Li-lon (Lithium-lon)	
Provided equipment	Rack mounting brackets Vertical mounting brackets	
Range of product	Smart-UPS Battery Systems	

Batteries & Runtime

Battery voltage

Physical

Colour	Silver grey	
Height	43 mm	
Width	432 mm	
Depth	560 mm	
Net weight	19.5 kg	
Mounting mode	Rack-mounted with kit Tower-mounted with kit	
Two post mountable	1	

Environmental

Ambient air temperature for operation	040 °C	
Operating altitude	010000 ft	
Relative humidity	095 % non-condensing	
Ambient air temperature for storage	-1545 °C	
Storage altitude	0.00000000015240.000000000 m	
Storage Relative Humidity	095 % non-condensing	

Packing Units

Unit Type of Package 1

PCE

Number of Units in Package 1	1
Package 1 Height	19.8 cm
Package 1 Width	56.4 cm
Package 1 Length	76.4 cm
Package 1 Weight	24.49 kg

Contractual warranty

Warranty

5 years

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	9d64af64-ba09-487b-83a8-542c851816cc
REACh Regulation	REACh Declaration

Use Again

$^{\circlearrowright}$ Repack and remanufacture	
Circularity Profile	End of Life Information
Removable battery	User replaceable
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins