



APC Easy UPS On-Line SRV 120V RM Battery Pack for 15/20kVA Rack Extended Runtime Model

SRV120RLBP2-9A

Overview

Lead time Special Order - Call for Quoted Lead Times

Main

Product or component type	Battery	
Number of rack unit	3U	
Battery type	Lead-acid battery	
Provided equipment	Documentation CD User manual Battery cable Rack mounting brackets	
Range of product	Easy UPS On-Line	

Batteries & Runtime

Number of battery blocks per string	20
Device mounting	Rack mount
Number of battery filled slots	0
Number of battery free slots	0
Battery voltage	+/- 120 V

Physical

Colour	Black
Height	13.3 cm
Width	43.8 cm
Depth	68.6 cm
Net weight	64 kg
Mounting mode	Rack-mounted with kit
USB compatible	No

Environmental

Ambient air temperature for operation	040 °C	
Relative humidity	095 % non-condensing	
Operating altitude	03000 m	
Ambient air temperature for storage	-1540 °C	

Storage Relative Humidity	095 % non-condensing
Storage altitude	015000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	25 cm
Package 1 Width	58 cm
Package 1 Length	87 cm
Package 1 Weight	72 kg
Unit Type of Package 2	PAM

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	330
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins